

iiyama
professional displays

TE18 SERIES

EXPERIENCE THE DIFFERENCE, **EXPLORE** THE POSSIBILITIES

INTERACTIVE PANORAMIC COLLABORATION





TE18 SERIES

EXPERIENCE THE DIFFERENCE, **EXPLORE** THE POSSIBILITIES

The jaw dropping 105" ultra-wide Interactive display with 21:9 panoramic view offers all organisations a versatile and impactful visual solution.

Experience a true 21:9 Panoramic Ultra-Wide view for all your content and applications with the iiyama TE10518UWI-B1AG. The thin bezel display shows vibrant and larger than life imagery and videos using 5K resolution to make the difference.


High end meeting room integration will achieve the much-promoted Microsoft Teams Front Row optimum experience in 21:9 format-delivering life like eye-level Gallery View, when sharing content with clear side bar visibility of Chat and Raised Hand notification. Control Room configuration also allows large scale viewing for Security and large dashboard applications alike.

Thanks to our hybrid solution deck of Android OS and OPS Slot PC features, no matter the Interactive aspiration, iiyama has the collaborative tools for you to enable intuitive interaction.

TE18 SERIES

EXPERIENCE THE DIFFERENCE, **EXPLORE** THE POSSIBILITIES

* Optional Conference bar iiyama **UC CAM120ULB**



21:9 - ULTRA WIDE

Experience a true Panoramic view for all your content and applications.

PURETOUCH-IR

Accurate and responsive 40pt Touch technology with Touch pen recognition.

5K - 11MP

Vibrant and larger than life imagery and video using 5120x2160 resolution to make the difference.

iiWARE 11

Featuring Note, Browser, Cloud Drive and optional tested apps for your organisation.

STANDALONE SOLUTION

Unlock all of the security and flexibility of Windows IoT with the optional OPS Slot PC.

USB-C CONNECTION

Delivers the latest in video, audio and Touch signal, all through one port and even charges your device with 100W power delivery.



WORKS WITH:

Microsoft Teams Google Meet zoom

TE18 SERIES
SPECIFICATIONS AND ACCESSORIES



TE10518UWI-B1AG

Diagonal	105" (266.7cm)
Panel type	IPS, AG coated glass, Zero Bonding
Resolution	5120x2160 (5K UW, 21:9)
Panel Brightness (cd/m²)	400
Light transmittance	88%
Static Contrast	4000:1
Operation time	16/7
Orientation	Landscape
Touch technology	Infrared, 40 touch points
Video IN	HDMI x4 (1x 2.1, 3x 2.0), DisplayPort
Video OUT	HDMI 1x (2.0)
Audio IN	MiniJack x1
Audio OUT	S/PDIF, Speakers 2x 16W + 1x 15W Sub Woofer, MiniJack
RAM/ ROM	8GB/ 64GB
Controls	RS232c x 1, RJ45(LAN) (IN/OUT) x2, USB Touch x2
USB Ports	6x 3.0 (top: 2x, front: 2x, side: 2x), 2x USB-C (3.1, 100W PD)
Dimensions (w x h x d) / Weight	2507 x 1130 x 103mm / 91.4kg
VESA (mm)	1000 x 400
Features	iiWare 11 (Android 13 OS), pre-installed apps iiyama Share & EShare, WiFi module slot (OWM002), OPS PC Slot, Ambient Light Sensor, 4 dual function Touch pens, VESA wall mount
OPS Slot PC (optional)	Yes, 5K supported

All trademarks and registered trademarks acknowledged. Changes and mistakes in graphics and specs reserved. Specifications subject to change without notice. Copyright by iiyama International. Stand 02/2023.